



Engineering Reimagined™

Signature
SERIES

ENGINEERED & DESIGNED
to meet the industry's highest specification needs.



With over 40 years in the industry, Arctic is among the premier walk-in cooler manufacturers in the United States. Arctic Industries offers quality products at an outstanding value utilizing the finest materials and fabricated by a highly trained and experienced staff.



Represented by:



Energy
Independence
& Security Act



APPROVED



APPROVED



Intertek
(To UL Std. 471)


Intertek
(To NSF 7)

Intertek
9900171
CONFORMS TO
ASTM STD E24
UL STD 223

Panel Construction

- 4" or 5 3/8" thick, foamed-in-place panels. Panel core is CFC free Class 1 Urethane permanently bonded to the metal skins
- Modular design with tongue and groove construction and cam-action locking devices
- NSF approved wrap-around vinyl gaskets
- High-density urethane rails to provide structural strength and durability
- Single panel lengths up to 25'
- Numerous metal finishes available. Most common are galvalume, aluminum & stainless steel in smooth or stucco embossed finish. Various colors and patterns
- Panels are certified by Intertek to NSF standard 7 and UL standard 471

Sample Metal Finishes




Colors We Offer



Door Construction

- Frames of modular design with structural FRP in coolers and structural aluminum in freezers with digital thermometer and light switch
- Foamed-in-place, in-fitting, self-closing, flush-mounted door plug with magnetic gasket
- Pre-wired door sections to accommodate light fixture and heater wire (in freezers)
- Center mounted vapor-proof light with safety night light
- 36" high kickplates included on interior and exterior of door plug (DTP or Stainless Steel)
- Heavy-duty, self-closing, cam lift, gravity hinges machine bolted to steel backing plates to ensure maximum strength and eliminate sagging
- Hydraulic door closer
- Locking door handle with key cylinder and inside safety release

Available Door Options



Refrigeration

- A comprehensive selection of refrigeration systems are available to meet the exact customer and project requirements
- Remote condensing units are available as air-cooled or water-cooled. Top-mount self-contained units also available
- Evaporator coils have EC motors, are available in low profile, center mount or standard profile and can be coated for protection when required



Design Features and Accessories

- Viewing windows in walls
- Viewports (windows) in doors
- Reach-in glass merchandising doors
- Reach-in solid doors
- Sliding doors (electric or manual)
- Bi-parting sliding doors (electric or manual)
- Bi-parting swing doors
- Hi-lift, vertical-lift and roll-up doors (electric or manual)
- Doors manufactured with zero jamb clearance
- 2" cooler floor panels
- Angles, notches, column wraps, cutouts and ceiling hatches
- Foamed-in-place wall backing to support wall-mount shelving
- Sloped ceilings integrated into panel construction
- Single panel ceiling spans up to 25'
- Various lighting options
- Alarm systems
- Reinforced floors
- Seismic engineering




Revit

Arctic's parametric Revit family offers simplicity with plenty of options and varieties:

- Optional door kickplate
- Right/left hinge placement
- 2- or 3-hinge door configuration
- Multiple viewport sizes
- 4" or 5 3/8" thick ceilings
- 4" or 5 3/8" thick walls
- 4" floors
- Omni-directional combo placement
- Interior or exterior ramps
- Optional floors

Visit www.arcticwalkins.com/revit/ to download the Arctic Revit family.



Warranty

